

CLEENOL

For a cleaner, safer world

SAFETY DATA SHEET MIXXIT CONCENTRATED FLOOR MAINTAINER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	MIXXIT CONCENTRATED FLOOR MAINTAINER
Internal identification	MXX565
Container size	2x2L

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Floor polish.
-----------------	---------------

1.3. Details of the supplier of the safety data sheet

Supplier	Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel: +44 (0)1295 251721 sales@cleenol.co.uk
----------	---

1.4. Emergency telephone number

Emergency telephone	In case of a medical emergency following exposure to a chemical, call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).
---------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards	Not Classified
Health hazards	Eye Irrit. 2 - H319
Environmental hazards	Not Classified

2.2. Label elements

Hazard pictograms



Signal word	Warning
-------------	---------

Hazard statements	EUH208 Contains LINALOOL. May produce an allergic reaction. H319 Causes serious eye irritation.
-------------------	--

Precautionary statements	P264 Wash contaminated skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention.
--------------------------	---

MIXXIT CONCENTRATED FLOOR MAINTAINER

Detergent labelling Contains AMYL CINNAMAL, BENZYL SALYCLATE, BRONOPOL (INN), LINALOOL

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

ALCOHOLS, C12-C14, ETHOXYLATED **1-5%**

CAS number: 68439-50-9 EC number: 500-213-3

Classification

Acute Tox. 4 - H302
Eye Dam. 1 - H318
Aquatic Chronic 3 - H412

CETYL TRIMETHYL AMMONIUM CHLORIDE **<1%**

CAS number: 112-02-7

M factor (Acute) = 10

Classification

Acute Tox. 4 - H302
Skin Irrit. 2 - H315
Eye Dam. 1 - H318
Aquatic Acute 1 - H400

BRONOPOL (INN) **<1%**

CAS number: 52-51-7 EC number: 200-143-0 REACH registration number: 01-2119980938-15-XXXX

M factor (Acute) = 10

Classification

Acute Tox. 4 - H302
Acute Tox. 4 - H312
Acute Tox. 3 - H331
Skin Irrit. 2 - H315
Eye Dam. 1 - H318
STOT SE 3 - H335
Aquatic Acute 1 - H400
Aquatic Chronic 2 - H411

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Unlikely route of exposure as the product does not contain volatile substances.
Ingestion	Rinse mouth. Give a few small glasses of water or milk to drink. Keep affected person under observation. Get medical attention if a large quantity has been ingested. Get medical attention if symptoms are severe or persist.
Skin contact	Wash skin thoroughly with soap and water.

MIXXIT CONCENTRATED FLOOR MAINTAINER

Eye contact Rinse cautiously with water for several minutes. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General information May produce an allergic reaction.

Inhalation Considered to be a low inhalation hazard at normal workplace temperatures.

Ingestion No adverse effects known. May be harmful if swallowed.

Skin contact Skin irritation should not occur when used as recommended. May cause sensitisation or allergic reactions in sensitive individuals.

Eye contact Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

Specific treatments Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing media None known.

5.2. Special hazards arising from the substance or mixture

Specific hazards Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting Avoid breathing fire gases or vapours. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes. Take care as floors and other surfaces may become slippery. Do not touch or walk into spilled material.

6.2. Environmental precautions

Environmental precautions Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb in vermiculite, dry sand or earth and place into containers. Absorb small quantities with paper towels and evaporate in a safe place.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

MIXXIT CONCENTRATED FLOOR MAINTAINER

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions For professional users only. Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container. Protect from freezing and direct sunlight. Store at temperatures between 0°C and 40°C.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2. Refer to Product Use Guide (PUG) for further information.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Ingredient comments No exposure limits known for ingredient(s).

8.2. Exposure controls

Protective equipment



Appropriate engineering controls No specific ventilation requirements.

Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection It is recommended that chemical-resistant, impervious gloves are worn. It is recommended that gloves are made of the following material: Rubber (natural, latex). Nitrile rubber. To protect hands from chemicals, gloves should comply with European Standard EN374.

Hygiene measures No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.

Respiratory protection No specific requirements are anticipated under normal conditions of use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Yellow.
Odour	Pleasant, agreeable.
pH	Neutral.
Initial boiling point and range	100°C
Flash point	Not applicable.
Relative density	1.002 - 1.006 @ 20°C
Solubility(ies)	Soluble in water.

MIXXIT CONCENTRATED FLOOR MAINTAINER

Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not determined.
Viscosity	Non-viscous.
Explosive properties	Not applicable.
Oxidising properties	Does not meet the criteria for classification as oxidising.
9.2. Other information	
Refractive index	4 - 5
Volatile organic compound	This product contains a maximum VOC content of <1 %.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.4. Conditions to avoid

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid No specific requirements are anticipated under normal conditions of use.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Information given is based on data of the components and of similar products.

Acute toxicity - oral

ATE oral (mg/kg) 29,239.77

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

Inhalation

No specific symptoms known.

Ingestion

No harmful effects expected from quantities likely to be ingested by accident.

Skin contact

Skin irritation should not occur when used as recommended. May cause sensitisation or allergic reactions in sensitive individuals.

Eye contact

Causes serious eye irritation.

MIXXIT CONCENTRATED FLOOR MAINTAINER

SECTION 12: Ecological information

Ecotoxicity The product contains substances which are toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

12.1. Toxicity

Toxicity The product is not believed to present a hazard due to its physical nature.

12.2. Persistence and degradability

Persistence and degradability Moderately biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor.

Disposal methods Dispose of waste product or used containers in accordance with local regulations

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

MIXXIT CONCENTRATED FLOOR MAINTAINER

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	<p>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).</p> <p>Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended).</p> <p>Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products (as amended).</p> <p>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).</p> <p>Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).</p>
Guidance	<p>EH40/2005 Workplace exposure limits</p> <p>Containing the list of workplace exposure limits for use with the Control of Substances Hazardous to Health Regulations 2002 (as amended)</p> <p>Health and Safety Executive</p>

15.2. Chemical safety assessment

SECTION 16: Other information

Issued by	Regulatory Chemist
Revision date	06/05/2021
Revision	12
Supersedes date	26/05/2020
SDS number	21366
Hazard statements in full	<p>H302 Harmful if swallowed.</p> <p>H312 Harmful in contact with skin.</p> <p>H315 Causes skin irritation.</p> <p>H318 Causes serious eye damage.</p> <p>H319 Causes serious eye irritation.</p> <p>H331 Toxic if inhaled.</p> <p>H335 May cause respiratory irritation.</p> <p>H400 Very toxic to aquatic life.</p> <p>H411 Toxic to aquatic life with long lasting effects.</p> <p>H412 Harmful to aquatic life with long lasting effects.</p> <p>EUH208 Contains LINALOOL. May produce an allergic reaction.</p>

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.